

Report No.: \$23091802917001 Page 1 of 24

TEST REPORT

Applicant:	Flashbay Electronic	s Z	
Address:	Building2 ,Jixun Ind	ustrial Park ,Xinjiao ,Dong	ao Village ,Shatian
*	Town ,Huiyang Dist	rict ,Huizhou City , Guang	dong Province ,P.R.Chin
A- 1100			4
The following sample(s)	was/were submitte	d and identified on beha	If of the client as:
Product name:	USB Cable/USB Hu	ıb	
Model:	MU, MT ,XN		
Manufacturer& Factory:	•		
Address:		ustrial Park ,Xinjiao ,Dong	•
	Town ,Huiyang Dist	rict ,Huizhou City , Guang	dong Province ,P.R.Chin
Canada Daretta d Date	0000 00 00		
Sample Received Date:	2023-09-22	00/29	3
Testing Period:	2023-09-22 ~ 2023-	-09-28	
ــــــــــــــــــــــــــــــــــــــ			
Test Requirement:		/	t
		ances of very high concern	n(SVHC) under
Regulation(EC) No 1907/2	2006 of REACH in the	e submitted sample(s).	
Summary:		\	* 2
According to the specified	scope and evaluatio	n screening, the concentra	ations of 235 SVHC
are ≤ 0.1% (w/w) in the su	ubmitted sample(s).	4	
Test Method: Please refe	er to the following pag	e(s);	THE A
Test Result(s): Please re	fer to the following pa	age(s);	4
*			
		4,	
7	Yime +		Litu
Compiled by:		Reviewed by:	8
* 30 5	MAM		*
	100		4 3
Approved by:	O .V	Date:	2023-09-28



Report No.: \$23091802917001 Page 2 of 24

Sample Description:

No.	Sample name	Description	Remark
1	L (40)	Black coating(shell,XN)	•
2	5 4	Silvery metal shell(shell,XN)	•
3	XN	White encapsulation(shell,XN)	T • %
4	*	White plastic(shell,XN)	•
5		Green PCBA(mixed tested) (PCB,XN)	•
6	7	Silvery metal shell(USB1 interface,PCB,XN)	• *
7		Blue plastic(USB1 interface,PCB,XN)	• 4
8	DOD VAL	Metal plug pin(USB1 interface,PCB,XN)	•
9	PCB,XN	Silvery metal shell(USB2 interface,PCB,XN)	•
10	4	Beige plastic(USB2 interface,PCB,XN)	•
11		Metal plug pin(USB2 interface,PCB,XN)	
12	4 1	Silvery metal(Type-C interface,wire,XN)	Same as 2
13	700 4	White encapsulation(Type-C interface,wire,XN)	Same as 3
14	4	Silvery metal shell(Type-C interface,wire,XN)	•
15	Mira VAL	Black plastic(Type-C interface,wire,XN)	
16	Wire,XN	Metal plug pin(Type-C interface,wire,XN)	•
4.7		Green PCBA(mixed tested) (Type-C	•
17		interface,wire,XN)	
18	*	White label with adhesive(label,wire,XN)	3.
19		White exterior wire jacket(wire,XN)	•
20	F 4	Blue metal foil(wire,XN)	•
21		Black inner wire jacket(wire,XN)	<i>△</i> • <i>√</i>
22		Red inner wire jacket(wire,XN)	•
23		Blue inner wire jacket(wire,XN)	•
24	XN	Pink inner wire jacket(wire,XN)	•
25	\ \AIN	Yellow inner wire jacket(wire,XN)	·
26		White inner wire jacket(wire,XN)	•
27		Purple inner wire jacket(wire,XN)	•
28		Green inner wire jacket(wire,XN)	• .
29		Transparent inner wire jacket(wire,XN)	
30	1 4	Core of wire(wire,XN)	•
31		White label paper with lettering(Tail sleeve,MU)	•
32	4, 4,	White encapsulation(Tail sleeve,MU)	
33	MU	Translucent colloid(Tail sleeve,MU)	3
34	IVIU	Yellow PCBA(mixed tested) (Tail sleeve,MU)	•
35		White encapsulation(USB interface,MU)	Same as 32
36		Translucent colloid(USB interface,MU)	Same as 33



Report No.: \$23091802917001 Page 3 of 24

No.	Sample name	Description	Remark
37	*	Silvery metal shell(USB interface,MU)	
38	L (40)	White plastic(USB interface,MU)	•
39		Metal plug pin(USB interface,MU)	•
40	_	White encapsulation(Type-C interface,MU)	Same as 32
41	٨_	Translucent colloid(Type-C interface,MU)	Same as 33
42		Silvery metal shell(Type-C interface,MU)	•
43	7	Black plastic(Type-C interface,MU)	• 4
44	_	Metal plug pin(Type-C interface,MU)	• • • •
45	٠ -لـ۸	Green PCBA(mixed tested) (Type-C interface,MU)	
46		White encapsulation(Micro interface,MU)	Same as 32
47		Translucent colloid(Micro interface,MU)	Same as 33
48	MU	Silvery metal shell(Micro interface,MU)	
49	* * *	Black plastic(Micro interface,MU)	
50		Metal plug pin(Micro interface,MU)	•
51	4	White encapsulation(Lighting interface,MU)	Same as 32
52	ما	Translucent colloid(Lighting interface,MU)	Same as 33
53		Silvery metal shell(Lighting interface,MU)	
54		White plastic(Lighting interface,MU)	•
55		Green PCBA(mixed tested) (Lighting interface,MU)	4
56	٨_	White wire jacket(wire,MU)	
57		Red metal wire core(wire,MU)	•
58		Cupreous metal wire core(wire,MU)	. •
59		Transparent plastic film(wire disc,MT)	.O • Z
60		Transparent plastic shell(wire disc,MT)	•
61		Transparent plastic sheet(wire disc,MT)	•
62		White label paper with lettering(wire disc,MT)	•
63		Silvery metal sheet(wire disc,MT)	·
64	MT	Silvery metal screw(wire disc,MT)	•
65		White encapsulation(USB interface,MT)	•
66		Creamy white colloid(USB interface,MT)	• .
67		Silvery metal shell(USB interface,MT)	
68	الم ا	White plastic(USB interface,MT)	•
69		Metal plug pin(USB interface,MT)	• ,
70	4, 4	White encapsulation(shell,Adapter,MT)	Same as 65
71	•	Creamy white colloid(shell,Adapter,MT)	Same as 66
72	Adapter,MT	Silvery metal shell(Type-C interface,Adapter,MT)	•
73	,L	Black plastic(Type-C interface,Adapter,MT)	•
74		Metal plug pin(Type-C interface,Adapter,MT)	4



Report No.: \$23091802917001 Page 4 of 24

No.	Sample name	Description	Remark
75	*	Silvery metal shell(Micro interface, Adapter, MT)	•
76	Adapter,MT	Black plastic(Micro interface, Adapter, MT)	•
77		Metal plug pin(Micro interface,Adapter,MT)	• //
78		Silvery metal shell(Lighting interface,Adapter,MT)	F • W
79		White plastic(Lighting interface,Adapter,MT)	•
80		Green PCBA(mixed tested)(PCB,Adapter,MT)	•
81		White wire jacket(wire,MT)	• *
82		Red metal wire core(wire,MT)	•
83	NAT	Green metal wire core(wire,MT)	
84	MT	Blue metal wire core(wire,MT)	•
85		Cupreous metal wire core(wire,MT)	•
86		White fiber(wire,MT)	<u></u>

Note:

=Actual tested sample

According to the client's declarations, see the above table for the list of samples (parts) of the same material.

Group Description:

O. O 0.P =					
Group	No.				
T1	2+6+8+9+11+14+16+20+30+37+39				
T2	42+44+48+50+53+57+58+63+64+67		*		
Т3	69+72+74+75+77+78+82+83+84+85				1
T4	1	A			
T5	4+7+10+15+38+43+49+54+60+61			*	
T6	3+18+19+21+22+23+24+25+26+27	4	大	7,1	•
T7	28+29+31+32+33+56+59+62+65+66	*			,
T8	68+73+76+79+81+86	.40			
T 9	5+17+34+45+55+80	7			7,

[&]quot;Same as" = It means that the sample and the actual tested sample are of the same material and have not been tested.



Report No.: S23091802917001 Page 5 of 24

Test Result(s):

	Dotob	Na	Toot item(a)	CACNO		Resul	t(s),%	1	DI (0/)
	Batch N	No.	Test item(s)	CAS No.	T1	T2	T3	T4	RL (%)
<u></u>	4	/	All tested SVHC in candidate list	ot 1 2500	N.D.	N.D.	N.D.	N.D.	10

Datah	Na	Toot item(a)	CAS No.	R	esult(s),	%	DI (0/)
Batch	No.	Test item(s)	CAS NO.	T5	Т6	T7	RL (%)
/	/	All tested SVHC in candidate list	1	N.D.	N.D.	N.D.	/

Pat	ch No.	Test item(s)	CAS No.	CAS No Result(s)		DI (0/)
Batch	JII INO.	rest item(s)	CAS NO.	Т8	Т9	RL (%)
1	/	All tested SVHC in candidate list		N.D.	N.D.	1



Report No.: \$23091802917001 Page 6 of 24

All tested SVHC in candidate list:

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
- 1	<u>_</u> 1	Anthracene	120-12-7	204-371-1	0.050
L	2	4,4'- Diaminodiphenylmethane	101-77-9	202-974-4	0.050
	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.050
ı	4	Cobalt dichloride*	7646-79-9	231-589-4	0.010
I ,_	5	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.010
1	6	Diarsenic trioxide*	1327-53-3	215-481-4	0.010
4	7	Sodium dichromate*	7789-12-0/	234-190-3	0.010
•	,	Godiam diomoniate	10588-01-9	204 100 0	0.010
1	8	Musk xylene	81-15-2	201-329-4	0.050
1	9	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	204-211-0	0.050
	10	Hexabromocyclododecane (HBCDD)	25637-99-4/	247-148-4/	0.050
	10	Trexabiomocyclododecarie (Tibebb)	3194-55-6	221-695-9	0.030
I	11	ShortChain ChlorinatedParaffins(SCCPs)	85535-84-8	287-476-5	0.050
ı	12	Bis(tributyltin)oxide (TBTO)*	56-35-9	200-268-0	0.050
I	13	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.010
1	14	Benzyl butyl phthalate(BBP)	85-68-7	201-622-7	0.050
1	15	Triethyl arsenate*	15606-95-8	427-700-2	0.010
11 2	16	[®] Anthracene oil	90640-80-5	292-602-7	0.050
11	17	[®] Anthracene oil, anthracene paste, distn. Lights	91995-17-4	295-278-5	0.050
II	18	[®] Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.050
II	19	[®] Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.050
II ,	20	[®] Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.050
IJ	21	[®] Coal tar pitch, high temperature	65996-93-2	266-028-2	0.050
	22	Acrylamide	79-06-1	201-173-7	0.050
II	23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.050
П	24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.050
, II	25	[®] Lead chromate	7758-97-6	231-846-0	0.010
II	26	[®] Lead chromate molybdate sulphateRed (C.I. Pigment Red 104)	12656-85-8	235-759-9	0.010
L II	27	² Lead sulfochromate yellow(C.I. Pigment Yellow 34)	1344-37-2	215-693-7	0.010
II	28	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	204-118-5	0.050
III	29	Trichloroethylene	79-01-6	201-167-4	0.050
. III	30	[®] Boric acid*	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.010



Report No.: S23091802917001 Page 7 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
		4	1330-43-4/		
Ш	31	[®] Disodium tetraborate, anhydrous*	12179-04-3/	215-540-4	0.010
		7.	1303-96-4		ا لم
	32	[®] Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	0.010
Ш	33	Sodium chromate*	7775-11-3	231-889-5	0.010
Ш	34	Potassium chromate*	7789-00-6	232-140-5	0.010
HII	35	Ammonium dichromate*	7789-09-5	232-143-1	0.010
Ш	36	Potassium dichromate*	7778-50-9	231-906-6	0.010
IV	37	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.010
IV	38	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.010
IV	39	Cobalt(II) carbonate*	513-79-1	208-169-4	0.010
IV	40 .	Cobalt(II) diacetate*	71-48-7	200-755-8	0.010
IV	41	2-Methoxyethanol	109-86-4	203-713-7	0.050
IV	42	2-Ethoxyethanol	110-80-5	203-804-1	0.050
IV	43	Chromium trioxide*	1333-82-0	215-607-8	0.010
IV	44	Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5/ 13530-68-2	231-801-5/ 236-881-5	0.010
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.050
V	46	Strontium chromate*	7789-06-2	232-142-6	0.010
V	47	^① 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.050
V	48	Hydrazine	7803-57-8/ 302-01-2	206-114-9	0.050
V	49	1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.050
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.050
V	51	[®] 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.050
VI	52	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.010
VI	53	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	0.010
VI	54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.010
VI	55	[®] Aluminosilicate Refractory Ceramic Fibres (RCF) **	A 1 20th	7	0.010
VI	56	[®] Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	1	1	0.010



Report No.: \$23091802917001 Page 8 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VI	57	[®] Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.050
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.050
VI	59	2-Methoxyaniline (o-Anisidine)	90-04-0	201-963-1	0.050
VI	60	4-(1,1,3,3-tetramethylbutyl)phenol (4-tert-Octylphenol)	140-66-9	205-426-2	0.050
VI	61	1,2-Dichloroethane	107-06-2	203-458-1	0.050
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.050
VI	63	Arsenic acid*	7778-39-4	231-901-9	0.010
VL	64	Calcium arsenate*	7778-44-1	231-904-5	0.010
VI	65	Trilead diarsenate*	3687-31-8	222-979-5	0.010
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.050
VI	67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.050
VI	68	Phenolphthalein	77-09-8	201-004-7	0.050
VI	69	Lead diazide*	13424-46-9	236-542-1	0.010
VI	70	Lead 2,4,6-trinitro-m-phenylene dioxide (Lead styphnate)*	15245-44-0	239-290-0	0.010
VI	71	Lead dipicrate*	6477-64-1	229-335-2	0.010
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.050
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.050
VII	74	[®] Diboron trioxide*	1303-86-2	215-125-8	0.010
VII	75	Formamide	75-12-7	200-842-0	0.050
VII	76	Lead(II) bis methanesulfonate*	17570-76-2	401-750-5	0.010
VII	77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triaz ine-2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.050
VII	78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.050
VII	79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.050
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenediani line (Michler's base)	101-61-1	202-959-2	0.050
VII	81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-yli dene] dimethylammonium chloride(C.I. Basic Violet 3)	548-62-9	208-953-6	0.050



Page 9 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
		[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl]methylene]cycl		Zi ⁱ	
VII	82	ohexa-2,5- dien-1-ylidene]	2580-56-5	219-943-6	0.050
4		dimethylammonium chloride(C.I. Basic			
		Blue 26)			, and the second
		α,α-Bis[4-(dimethylamino)phenyl]-4			
VII	83	(phenylamino)naphthalene-1-methanol (C	6786-83-0	229-851-8	0.050
3		.I. Solvent Blue 4)	·		
VII	84	4,4'-bis(dimethylamino)-4"-(methylamino)t	561-41-1	209-218-2	0.050
VII	04	rityl alcohol	301-41-1	209-210-2	0.050
VIII	85	Bis(pentabromophenyl) ether	1163-19-5	214-604-9	0.050
VIII	65	(decabromodiphenyl ether; DecaBDE)	1103-19-5	214-004-9	0.030
	.4	4-Nonylphenol, branched and linear	* 3		4
		[substances with a linear and/or branched			
*		alkyl chain with a carbon number of 9	7		
VIII	86	covalently bound in position 4 to phenol,	1	1	0.050
VIII	30	covering also UVCB- and well-defined	* *		0.030
		substances which include any of the		4	Z.
		individual isomers or a combination		*	
		thereof]			
VIII	87	Diazene-1,2-dicarboxamide	123-77-3	204-650-8	0.050
V 111	F '	(C,C'-azodi(formamide))	120 77 0	204 000 0	0.000
		4-(1,1,3,3-tetramethylbutyl)phenol,	7	*	
VIII	88	ethoxylated [covering well-defined	1		0.050
V		substances and UVCB substances,			0.000
		polymers and homologues]	4		大
VIII	89	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.050
VIII	90	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.050
		Cyclohexane-1,2-dicarboxylic anhydride,	85-42-7/	201-604-9/	
VIII	91	cis-cyclohexane- 1,2- dicarboxylic	13149-00-3/	236-086-3/	0.050
		anhydride, trans-	14166-21-3	238-009-9	0.000
		cyclohexane-1,2-dicarboxylic anhydride	11100 2110	<u> </u>	
	从	Hexahydromethylphthalic anhydride,	25550-51-0/	247-094-1/	
VIII	92	Hexahydro-4-methylphthalic anhydride,	19438-60-9/	243-072-0/	0.050
	7	Hexahydro-1-methylphthalic anhydride,	48122-14-1/	256-356-4/	5.500
		Hexahydro-3-methylphthalic anhydride	57110-29-9	260-566-1	
VIII	93	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.050
VIII	94	Diisopentylphthalate(DIPP)	605-50-5	210-088-4	0.050



Report No.: \$23091802917001 Page 10 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	95	1,2-Benzenedicarboxylic acid,	84777-06-0	284-032-2	0.050
V		dipentylester, branched and linear	01111000	201 002 2	0.000
VIII	96	N-pentyl-isopentylphthalate	776297-69-9	/	0.050
VIII	97	Methoxyacetic acid	625-45-6	210-894-6	0.050
VIII	98	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.050
VIII	99	1,2-Diethoxyethane	629-14-1	211-076-1	0.050
VIII	100	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-ox azolidine	143860-04-2	421-150-7	0.050
VIII	101	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.050
VIII	102	N-methylacetamide	79-16-3	201-182-6	0.050
VIII	103	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.010
VIII	104	Biphenyl-4-ylamine	92-67-1	202-177-1	0.050
VIII	105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.050
VIII	106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.010
VIII	107	Lead dinitrate*	10099-74-8	233-245-9	0.010
VIII	108	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.010
VIII	109	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.010
VIII	110	Lead titanium trioxide*	12060-00-3	235-038-9	0.010
VIII	111	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.050
VIII	112	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.010
VIII	113	Dimethyl sulphate	77-78-1	201-058-1	0.050
VIII	114	Furan	110-00-9	203-727-3	0.050
VIII	115	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.010
VIII	116	Tetraethyllead*	78-00-2	201-075-4	0.010
VIII	117	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.010
VIII	118	Diethyl sulphate	64-67-5	200-589-6	0.050
VIII	119	Lead cyanamidate*	20837-86-9	244-073-9	0.010
VIII	120	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.010
VIII	121	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.010
VIII	122	o-Toluidine	95-53-4	202-429-0	0.050
VIII	123	o-aminoazotoluene	97-56-3	202-591-2	0.050
VIII	124	4-aminoazobenzene	60-09-3	200-453-6	0.050
VIII	125	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.050
VIII	126	Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.050
VIII	127	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.010
VIII	128	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.050



Report No.: \$23091802917001 Page 11 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	129	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.050
VIII	130	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.010
VIII	131	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.010
VIII	132	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.010
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.010
VIII	134	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.050
VIII	135	Lead oxide sulfate*	12036-76-9	234-853-7	0.010
VIII	136	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.010
VIII	137	Silicic acid, lead salt*	11120-22-2	234-363-3	0.010
VIII	138	N,N-dimethylformamide	68-12-2	200-679-5	0.050
IX	139	Cadmium	7440-43-9	231-152-8	0.010
IX	140	Cadmium oxide*	1306-19-0	215-146-2	0.010
IX	141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.050
*	4	4-Nonylphenol, branched and linear, ethoxylated[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4	et et	NOT.	A. C.
IX	142	to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]		AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLU	0.050
IX	143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.050
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.050
X	145	Trixylyl phosphate Disodium4-amino-3-[[4'-[(2,4-diaminophe nyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydrox	25155-23-1 1937-37-7	246-677-8 217-710-3	0.050
×		y-6-(phenylazo)naphthalene-2,7-disulpho nate (C.I. Direct Black 38)	4,		
X	147	Dihexyl phthalate	84-75-3	201-559-5	0.050
X	148	Cadmium sulphide* Disodium 3,3'-[[1,1'-biphenyl]- 4,4'-diylbis(azo)]bis(4-aminonaphthalene- 1-sulphonate) (C.I. Direct Red 28)	1306-23-6 573-58-0	215-147-8	0.010
X	150	Lead di(acetate)*	301-04-2	206-104-4	0.010
X	151	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	202-506-9	0.050



Report No.: \$23091802917001 Page 12 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
ΧI	152	1,2-Benzenedicarboxylicacid, dihexyl est er,branched and linear	68515-50-4	271-093-5	0.050
XI	153	Cadmium chloride	10108-64-2	233-296-7	0.010
XI	154	[®] Sodium peroxometaborate perboric acid, sodiumsalt*	/	239-172-9/ 234-390-0	0.010
XI	155	[®] Sodium peroxometaborate*	7632-04-4	231-556-4	0.010
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylp henol (UV-328)	25973-55-1	247-384-8	0.050
XII	157	2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)ben zotriazole (UV-320)	3846-71-7	223-346-6	0.050
XII	158	Cadmium fluoride*	7790-79-6	232-222-0	0.010
XII	159	Cadmium sulphate*	10124-36-4/ 31119-53-6	233-331-6	0.010
XII	160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithi a-4-stannatetradecanoate; DOTE	15571-58-1	239-622-4	0.050
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithi a-4-stannatetradecanoate and 2-ethylhexyl10-ethyl-4-[[2-[(2-ethylhexyl)o xy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3, 5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	ATTENT ANTENT		0.050
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5/ 68648-93-1	271-094-0/ 272-013-1	0.050
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	Arith Ari	et restell	0.050
XIV	164	1,3-propanesultone	1120-71-4	214-317-9	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.050



Page 13 of 24

						_
Ba	tch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
X	IV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(s ec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.050
X	IV	167	Nitrobenzene	98-95-3	202-716-0	0.050
4	4		Perfluorenenan 1 sie seid and its and its	375-95-1/	* 4	V
Х	IV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	21049-39-8/	206-801-3	0.050
			and animormali sails	4149-60-4		
X	V	169	Benzo[def]chrysene	50-32-8	200-028-5	0.050
X	VI	170	Bisphenol(BPA)	80-05-7	201-245-8	0.050
			4-Heptylphenol,branched		7 4	
	+		andlinear(substances with a linear and/or	72, 4,		
		4	brabched alkyl chain with a carbon		4	~
4			number of 7 convalently bound	4	* *	
X	VI	171	predominantly in position 4 to	d d	1	0.050
			phenol,covering also UVCB-and	3		*
		7	well-defined substances which include			
			any of the individual isomers or	4		4
		<u>.</u>	acombination thereof)	* *		-
			Nonadecafluorodecanoic acid(PFDA) and	3108-42-7/	206-400-3/	
X	VI 🚽	172	its sodium and ammonium salts	335-76-2/	221-470-5	0.050
	\ //	4		3830-45-3		0.0==
X	VI	173	4-tert-amylphenol	80-46-6	201-280-9	0.050
X	VII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)		1	0.050
			Dechlorane plus (including any of its	13560-89-9/		
X١	/III	175	individual anti- and syn-isomers or any	135821-74-8/	1	0.050
	X	•	combination thereof)	135821-03-3		<u> </u>
	/111	176	Benzo[a]anthracene	56-55-3	200-280-6	0.050
X۱	/III	177	Cadmium nitrate*	10325-94-7	233-710-6	0.010
	/111	178	Cadmium carbonate*	513-78-0	208-168-9	0.010
- (/)	/III	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.010
X۱	/III	180	Chrysene	218-01-9	205-923-4	0.050
			Reaction products of	* 3		
			1,3,4-thiadiazolidine-2,5-dithione,			2
X۱	/III	181	formaldehyde and 4-heptylphenol,	7	1	0.050
			branched and linear (RP-HP) [with ≥0.1%	ال م		4
			w/w 4-heptylphenol, branched and linear]	4		
X	XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2	552-30-7	209-008-0	0.050
-			anhydride (trimellitic anhydride,TMA)			· ·
X	IX	183	Dicyclohexyl phthalate(DCHP)	84-61-7	201-545-9	0.050



Page 14 of 24

					A
Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIX	184	Benzo[ghi]perylene	191-24-2	205-883-8	0.050
XIX	185	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.050
XIX	186	®Disodium octaborate*	12008-41-2	234-541-0	0.010
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.050
XIX	188	Ethylenediamine (EDA)	107-15-3	203-468-6	0.050
XIX	189	Lead	7439-92-1	231-100-4	0.010
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.050
XIX	191	Terphenyl, hydrogenated	61788-32-7	262-967-7	0.050
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicycl o[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	239-139-9	0.050
XX	193	2,2-bis(4'-hydroxyphenyl)-4- methylpentane	6807-17-6	401-720-1	0.050
XX	194	Benzo[k]fluoranthene	207-08-9	205-916-6	0.050
XX	195	Fluoranthene	206-44-0	205-912-4	0.050
XX	196	Phenanthrene	85-01-8	201-581-5	0.050
XX	197	Pyrene	129-00-0	204-927-3	0.050
XXI	198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥0.1% w/w of 4-nonylphenol, branched and linear (4-NP)		4. F.	0.050
XXI	199	4-tert-butylphenol	98-54-4	202-679-0	0.050
XXI	200	2-methoxyethyl acetate	110-49-6	203-772-9	0.050
XXI	201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides(covering any of their individual isomers and combinations thereof)	S, in	* 1 * * *	0.050
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinob utyrophenone	119313-12-1	404-360-3	0.050
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morph olinopropan-1-one	71868-10-5	400-600-6	0.050
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	¥ 1	1 0+	0.050
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.050
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	245-152-0	0.050
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	_0.050



Page 15 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant	- Aint		0.050
		carbon number of the fatty acyloxy moiety	4		
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.050
xxv	213	2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0/ 36483-57-5, 1522-92-5/ 96-13-9	221-967-7/ 253-057-0/ 202-480-9	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	10t / 450		0.050
XXV	215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.050
XXV	216	Glutaral	111-30-8	203-856-5	0.050
VVV	247	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of			0.050
XXV	217	more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]		4	0.050
XXV	218	®Orthoboric acid, sodium salt (Group) *	-	1	0.010
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	ALE TO THE PROPERTY OF THE PRO		0.050
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)met hylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)			0.050
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.050
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.050



Report No.: \$23091802917001 Page 16 of 24

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXVIII	225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribro mobenzene]	37853-59-1	253-692-3	0.050
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenedi phenol	79-94-7	201-236-9	0.050
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.050
XXVIII	228	[®] Barium diboron tetraoxide*	13701-59-2	237-222-4	0.010
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	* * ** * * * **	* / ******	0.050
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.050
XXVIII	231	Melamine	108-78-1	203-615-4	0.050
XXVIII	232	Perfluoroheptanoic acid and its salts	1 0	<u> </u>	0.050
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropro pan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl) morpholine	Arith Ar	473-390-7	0.050
XXIX	234	Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	278-355-8	0.050
XXIX	235	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.050



Report No.: S23091802917001 Page 17 of 24

Test Method:

With reference to NTEK in-house method, Analysis is performed by Liquid Chromatography Mass Spectrometry/ Mass Spectrometry (LC-MS/MS), Gas Chromatography and Mass Spectrometry (GC-MS), headspace GC-MS, Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), UV-Vis spectrophotometer.

Note:

- 1. "%" =percent by weight, 0.1% = 1000 mg/kg =1000 ppm
- 2. RL = Report Limit, N.D. = Not Detected (<RL), /= Not Regulated or Not Applicable
- 3. *: Concentration value of the substanceby the conversion from the test results of certain elements. Concentration value of Bis(tributyltin)oxide by the conversion from the test results of Tributyl Tins.
- 4. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
- 5. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
- 6. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of therepresentative compounds are calculated based on the result of specified heavy metal elements.
- 7. ③: Concentration value of Boric acid; Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide, hydrate; Diboron trioxide; Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate; Disodium octaborate; Orthoboric acid, sodium salt (Group); Barium diboron tetraoxide is calculated by the conversion from the test results of certain elements and confirmed by appropriate solvent extraction, meanwhile the book of materials is suggested to be checked for further confirmation.
- 8. REACH regulations related to obligations
 - (a) The chemical analysis of SVHC is performed by means of currently available analytical Techniques against the list published by ECHA, and shall refer to http://echa.europa.eu/web/guest/candidate-list-table. This list is under evaluation by ECHA and may subject to change in the future;
 - (b) Concerning article(s):
 - Notification: In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (i) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (ii) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w); Inform: Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with



Report No.: \$23091802917001 Page 18 of 24

sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance;

(c) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article. If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(d) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006.



Page 19 of 24

Sample photo(s):



Fig.1



Fig.2








Fig.3




Fig.4








Fig.5




Fig.6








Fig.7




Fig.8








Fig.9




Fig.10



Page 24 of 24




Fig.11




Fig.12

****End of Report****

The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full.